

Érvényes 2008.január 01-től visszavonásig.
Az árak az ÁFA-t nem tartalmazzák!

Kép	Watt	Feszültség	Leírás	Élettartam	Csomagolás	KÓD	Nettó ár
PAR Lamps							
PAR 36 Ferrule cap							
	650	120		100	12	41673	
PAR 36 Screw Terminal cap							
	25	5.5	PAR36	1000	12	14553	2 491
	25	12	PAR36/NSP	2000	12	14554	2 491
	25	12	25PAR36/WFL 12V	2000	12	14555	2 491
	25	12	PAR36/VWFL	2000	12	14556	2 491
	30	12.8	4405 12.8V	100	12	24425	1 344
	30	6.2	4511	300	12	24663	2 146
	30	6.4	H4515 6.4V	100	12	15133	1 867
	30	6.4	4515 6.4V	100	12	24673	986
	50	12.8	H7604 12.8V	100	12	43576	4 141
	50	12	50PAR36/VNSP 12V	2000	12	12892	2 491
	50	12	50PAR36/NSP 12V	2000	12	16540	2 491
	50	12	50PAR36/WFL 12V	2000	12	16541	2 491
	50	12	50PAR36/WFL/H 12V	4000	12	19880	2 491
	50	12	PAR36/VWFL	2000	12	16542	2 491
	50	28	4502 28.0V	400	12	24627	1 937
	50	28	4505 28.0V	400	12	24640	2 954
	100	13	4509 13.0V	25	12	24650	3 268
	100	13	4509X PAR36	25	12	41503	4 134
	100	28	4595 13.0V	300	12	24892	5 141
	100	28	4591 28.0V	25	12	24882	7 503
	50	28	4593 28.0V	400	12	24887	3 558
	100	28	4594 28.0V	300	12	24891	3 681
	150	28	4626 28.0V	300	12	24964	5 559
	100	28	4627 28.0V	300	12	24966	8 838
	250	28	4587	25	12	24867	5 592
	250	28	4596 28.0V	25	12	24898	4 558
	650	120	DWE Q650PAR36/1	100	12	41667	4 847
	650	120	FBO-PAR36/5	30	12	41671	7 737
PAR 46 Screw Terminal cap							
	30	12.8	4435 12.8V	300	12	24577	2 369
	40	12.5	4531 12.5V	400	12	24726	3 693
	50	12.8	H7635 12.8V	100	12	43591	4 773
	100	13	4537-2 13.0V	25	12	40822	3 228
	100	13	4537	25	12	24742	3 555
	150	28	4570	300	12	24828	4 158
	150	28	4571	300	12	24830	7 725
	250	28	4551	25	12	24795	3 181
	250	28	4553 28.0V	25	12	24799	5 955
	450	28	4580 28.0V	10	12	24859	7 512
	450	28	4581	10	12	24862	7 403
	450	16.5	4635 16.5V	25	12	33284	7 523
	450	28	Q4554 28.0V	25	12	37706	20 375
	450	28	Q4597 28.0V	1000	12	37372	35 677
	450	28	Q4681 28.0V	50	12	36271	18 582
PAR 56 Screw Terminal cap							
	100	12	4545 100W 12V	100	12	24768	3 456
	120	12	PAR56 VNSP	2000	12	19023	6 054
	120	12	PAR56 MFL	2000	12	19024	6 054
	120	12	120PAR56WFL 12V	2000	12	19025	6 054
	200	30	200PAR 30V	500	12	20122	3 755
	240	12	240PAR56/VNSP 12V	2000	12	20575	6 002
	240	12	240PAR56/WFL 12V	2000	12	20577	5 885
	300	12	300PAR56/WFL 12V	1000	12	23427	3 192
PAR 56 GX16d cap							
	300	120	PAR56/NSP	2000	12	20803	6 026
	300	120	PAR56/MFL	2000	12	20836	6 026
	300	120	PAR56/WFL	2000	12	20849	6 026
	300	230	300PAR56/NSP 230V	2000	12	20853	2 966
	300	230	300PAR56/MFL 230V	2000	12	20852	2 966
	300	230	300PAR56/WFL 230V	2000	12	20854	2 966
	300	240	300PAR56/NSP 240V	2000	12	18676	2 966
	300	240	PAR56/MFL	2000	12	18677	2 966
	300	240	PAR56/WFL	2000	12	18678	2 966

500	120	Q500PAR56NSP 12C 4000	6	43494	8 770
500	120	Q500PAR56MFL 12C 4000	6	43495	8 770
500	120	PAR56 WFL 4000	6	43496	8 770
PAR 64 Screw Terminal cap					
250	28	4552 28.0V 25	12	40576	7 579
600	28	4559 25	12	40578	6 775
600	28	Q4559 28.0V 100	12	40579	11 294
600	28	Q4559X 28.0V 100	12	42552	10 900
PAR 64 GX16d base (EMEP)					
500	230	CP86 - Q500PAR64/ 300	6	25492	7 674
500	240	CP86 - Q500PAR64/ 300	6	25493	7 674
500	230	CP87 - Q500PAR64/ 300	6	25504	7 674
500	240	CP87 - Q500PAR64/ 300	6	25507	7 674
500	230	CP88 - Q500PAR64/ 300	6	25513	7 674
500	240	CP88-Q500PAR64/M 300	6	25520	7 674
500	230	PAR64/MFL 230V 2000	12	39411	8 938
500	230	PAR64/WFL 230V 2000	12	39414	8 938
1000	230	SUPER CP60 EXC V 300	6	93409	7 076
1000	240	SUPER CP60 EXC V 300	6	10925	7 076
1000	230	SUPER CP61 EXD N 300	6	10928	7 076
1000	240	SUPER CP61 EXD N 300	6	10929	7 076
1000	230	SUPER CP62 EXE M 300	6	10930	7 076
1000	240	SUPER CP62 EXE M 300	6	10931	7 076
1000	230	CP95 230V 300	6	30277	8 577
1000	240	CP95 300	6	30278	8 577
1000	230	EXG PAR64/1000W 300	6	35482	7 674
1000	240	EXG PAR64/1000W 300	6	35483	7 674
500	120	PAR64/NSP 2000	12	39406	8 938
500	120	PAR64/MFL 2000	12	39409	8 938
1000	120	FFN 120V 800	6	13233	6 727
1000	120	FFP 120V 800	6	13229	6 727
1000	120	FFR 120V 800	6	13228	6 727
1000	120	FFS 120V 800	6	13227	6 727
1000	120	PAR64 NSP 4000	6	43497	13 652
1000	120	Q1000PAR64MFL 12 4000	6	43498	13 652
1000	120	Q1000PAR64WFL 12 4000	6	43499	13 652

SINGLE ENDED HALOGEN LAMPS

High Performance Lamps

575	230	HPL 575W 230V 300	12	37128	4 619
575	240	HPL 575 300	12	37131	4 619
575	120	HPL 575 -C 300	12	92433	5 038
575	115	HPL 575- C 300	12	92431	5 038
575	230	HPL 575 LL 1500	12	37817	5 038
575	240	HPL 575 LL 1500	12	37818	5 038
575	120	HPL 575 LL - C 2000	12	92435	5 458
575	115	HPL 575 LL - C 2000	12	92434	5 458
750	230	HPL 750W 230V 300	12	37824	5 038
750	240	HPL 750 300	12	37826	5 038
750	115	HPL 750 - C 300	12	92432	5 458
750	115	HPL 750W-XLL-C 1' 2000	12	92770	6 660
750	230	HPL 750 LL 1500	12	92768	5 517
750	240	HPL 750 LL 1500	12	92769	5 517

G9.5 base

500	120	EHD 2000	24	39768	8 621
575	115	FLK 300	24	11450	7 142
575	115	HX601 FLK/LL 575W 1500	50	39730	7 686
600	230	GKV 250	24	39739	4 740
600	240	GKV 250	24	39750	4 740
600	230	GKV LL 230V 600W 1500	24	39751	5 290
600	240	GKV LL 1500	24	39752	5 290
650	240	FKR 300	24	39735	5 078
750	120	EHF 300	24	39771	8 716
750	120	EHG-Q750/CL/TP 120' 2000	24	39770	5 750
800	240	HX800 800W 240V 250	24	39754	6 784
1000	120	CP77 FEL 300	24	39769	4 774
1000	240	CP77 FEP 1000W 2' 300	24	39736	3 294

GY9.5 base - Grid-form Filament

300	120	CP81 FKW 50	24	39781	3 647
300	230	FSL CP81 220-230V 150	24	39780	2 700
300	240	CP81 FSK 150	24	39779	2 700
500	120	CP82 FRG 150	24	39623	2 692
500	230	FRH CP82 230V 150	24	39624	2 693
500	240	CP82 FRJ 150	24	39628	2 693

500	240	@GCW T18 240V	400	24	39629	2 844
500	240	@T25 240V	360	24	39262	2 979
650	240	#T27 240V	400	24	39457	2 741
650	240	GCS T26 240V	400	24	39636	2 844
650	120	CP89 FRK	200	24	39637	6 560
650	240	@FRM CP89 240V	150	24	39642	3 610
GY9.5 base – Coiled Coil Filament						
600	120	FMR	2000	24	30475	5 687
GX9.5 base						
650	240	@T12 240V	750	12	39663	4 603
650	230	@CP23 230V	100	12	39654	4 747
650	240	CP23 240V	100	12	39660	4 747
1000	240	@CP24 240V	200	12	39653	3 928
1000	115/120	T11	750	24	29331	5 730
1000	240	@T11 240V	750	12	39659	3 260
1000	240	@FWR T19 240V	750	12	39658	2 937
1000	230	@CP70 FVA 230V	200	12	39241	3 218
1000	240	CP70 FVA	200	12	39242	3 218
1200	240	@FWT T29 240V	400	12	39667	4 380
1200	240	#CP90 240V	200	12	39725	5 931
GY16 base						
2000	240	FTL CP43 240V	400	12	20310	5 167
2000	240	CP79	350	12	30498	5 589
G22 Low Voltage						
1200	80	OC-1200 CP110 80V 300		12	91580	6 862
G22 base						
500	120	EGN	150	12	30373	7 090
650	240	@FKH CP39 240V	100	12	20321	6 528
1000	120	EGT-Q1000T7/4CL 12l	250	12	39191	6 842
1000	230	@FKJ CP40 230V	200	12	39655	3 342
1000	240	CP40 FKJ	200	12	20286	3 342
1200	240	CP93 240V	200	12	30384	6 884
2000	120	CP92	400	12	30391	11 341
2000	240	@CP92 240V	400	12	30397	6 815
2500	240	CP91 240V	400	12	30423	6 729
P28s base (medium prefocus)						
500	120	EGE-Q500/CL/P 120V	2000	12	39135	9 896
500	120	BTM 120V	150	12	16465	7 464
500	240	FKF T17 240V	750	12	30536	4 924
500	240	T28	300	12	39733	4 420
650	240	FKB T13 240V	750	12	30542	7 741
650	240	CP51 FKM	200	12	20324	12 595
1000	120	EGJ-Q1000/4CL/P120	500	12	38853	10 506
1000	240	FKD T14 240V	750	12	20388	6 855
1000	240	FKE 240V	750	12	30532	6 955
1000	240	CP52 FKN	200	12	30546	7 620
G38 base (mogul prefocus)						
2000	120	CYX-Q2000T10/4CL	400	6	36636	12 184
2000	230	CP41 FKK 2000W 2s	400	12	31844	5 431
2000	240	CP41 FKK	400	12	31849	5 431
2500	240	CP94	400	12	30500	11 429
3000	240	HX48	400	12	30504	37 580
5000	230	CP29 230V	500	12	30505	22 121
5000	240	CP29	500	12	30506	22 121
GX38 base – Single-ended High Wattage Halogen Lamps						
12000	230	Q12MT26/CL 230V	130	1	48771	151 159
12000	240	Q12MT26/CL 240V	130	1	48779	151 159
20000	230	Q20MT32/CL 230V	400	1	48773	393 590
20000	240	Q20MT32/CL 240V	400	1	48774	393 590
24000	230	Q24MT32/CL 230V	150	1	48776	528 857
24000	240	Q24MT32/CL 240V	150	1	48777	528 857
GX38q base - Twin filament						
1250/650	240	CP105	250	12	34024	81 258
1250/1250	240	CP30	250	12	30514	75 885
1250/2500	240	CP58	300	12	30517	74 397
2500/2500	240	CP32	300	12	30519	75 885
E40 base – Clear, Coil Filament						
2000	240	CP59	300	12	29426	12 189
E40 base – Frosted, Coil Filament						
1000	120	DKZ/DSE Q1000	750	10	19926	24 724
P40s base (mogul prefocus)						
1000	240	T16	750	12	30521	10 851

1500	120	DTA 120V	300	6	30522	11 522
2000	240	CP53 240V	400	12	20312	14 405

Linear Halogen Lamps

Double-Ended Quartzline® Lamps with R7s Caps Length 79.4mm

650	120	P2/6 FAD	100	24	30325	2 988
800	230	DXX800-T4-4CL 230 75		24	36952	1 553
800	240	DXX 800-T4-4CL 240 75		24	36953	1 553

Length 95.3mm

1000	120	DXW	150	24	30157	5 325
1000	120	FBY Q1000T5/4 1/24 150		24	30374	2 817

Length 119.1mm - Burn Horizontal ±4°

750	120	EJG	400	12	23756	3 472
800	240	TU P2/11 EME Q800T; 150		12	23760	1 642
800	240	P2/11 EMF Q800T3/ 150		12	23761	1 642
1000	120	FCM P2/28 Q1000T3 400		12	23797	2 741

Length 142.9mm - Burn Horizontal ±4° - RX7s Caps

2000	230	FEX P2/27 230V	300	12	35338	5 710
2000	240	P2/27 FEX	300	12	35339	5 710
2000	120	P2/27 FEY	400	12	39790	9 645

Length 189.1mm - Burn Horizontal ±4°

625	230	TU P2/10 Q625T3/4CL 300		12	19697	1 763
625	240	P2/10	300	12	19698	1 763
1000	230	TU P2/7 EKM Q1MT3/ 300		12	20249	1 848
1000	240	P2/7	300	12	20253	1 848
1250	230	TU P2/12 Q1250T3/4C 300		12	19695	1 933
1250	240	P2/12	300	12	19696	1 933

Specialist Projector Lamps

Single-ended Quartzline™ - Projector Lamps

30	6.6	EXL 30W 6.6AV	1000	24	11478	2 198
30	10.8	OT DZA 30W G5.3 10. 400		24	37346	3 473
50	12	BRL A1/220 12V Q50 50		100	18234	500
100	12	FCR A1/215 12V MIF 50		100	14876	441
100	12	FDT A1/261 12V 50		24	35321	1 888
150	6.6	EWR	500	24	11427	3 794
150	15	BRJ/EVB A1/234 15V 50		100	18235	638
150	24	DZE/FDS A1/262 24V 100		24	37695	3 115
150	24	FCS A1/216 24V Q15 50		100	13598	390
175	24	EML	125	24	42612	4 155
250	24	EHJ A1/223 24V Q25 50		100	14874	390
275	24	FNT 24V Q275/G6,3 50		100	18241	597
400	36		50	25	41164	
650	230	A1/233 DYR	50	24	26896	2 023
650	240	DYR 650W 240V	50	24	26895	2 023
800	230	@HX185 800 230V	300	24	30949	7 020
800	240	HX185 800W/240V	300	24	35232	7 020
1000	120	BRH	60	24	29604	7 288

A1 Class Projector Bulbs

150	220/230	@A1/248 220V	50	50	30584	3 395
150	240	A1/248 240V	50	50	30585	3 395
300	220/230	@A1/249 220V	50	50	30587	5 159
300	240	A1/249 240V *	50	50	30588	5 159
500	220/230	@A1/244 220V	75	24	39643	2 465
500	240	A1/244 240V	75	24	39644	2 465
650	240	A1/247	75	24	39650	5 553
800	240	A1/245	75	24	39649	7 030

G17q cap

500	240	A1/241 240V	50	24	39727	9 325
500	220	A1/268 EPS	50	24	39728	6 033
500	240	A1/268 EPS	50	24	39729	6 033

Single-ended Tungsten Halogen Lamps

Low Voltage single-ended capsule

10	6	TU*M29/H Q10/6V/TR/ 100		20	34720	236
20	6	TU*M30/H Q20/6V/TR/ 100		20	34718	236
50	12	TU*M32/H Q50/12V/TF 4000		20	34702	424
100	12	TU 56510 Q100/12V/TI 2000		20	34676	454
250	24	M33	300	100	34768	1 127
250	24	M36 24V 250W GY6. 2000		100	29231	2 605

Mains Voltage single-ended capsule

300	240/250	M38 240-250V	2000	24	39784	2 740
500	240/250	@M40 240-250V	2000	24	39622	2 818

Double-ended lamps with R7s caps

Linear Projector Lamps							
420	120	FAL	75	24	29581	2 113	
Multi-Mirror®Quartzline®Projection lamps							
MR-16 Faceted Dichroic Reflector							
30	10.8	EKZ	200	20	36902	4 531	
50	8	A1/229 EFM 50W 8V 50		20	21276	1 693	
75	12	A1/230 EFN 75W 12' 50		20	21277	1 693	
80	19	DDM	50	20	43206	4 787	
80	21	DDS 21V	1000	20	43988	2 046	
85	13.8	DED 13,8V		20	43950	1 750	
100	12	A1/231 EFP 100W 1:50		20	21278	1 584	
150	15	A1/232 EFR 150W 1:50		20	21279	1 584	
150	20	DDL 20V 150W MR1 500		20	43537	1 773	
150	21	ELD/EJN	40	20	38306	3 606	
150	21	EJM 21V	40	10	29151	4 391	
150	21	EKE	200	20	35200	1 713	
200	24	EJL A1/252 24V	50	20	29150	3 130	
250	24	ELC A1/259 24V	50	20	37462	1 347	
250	24	ELC / 500 24V 250W 500		20	15377	2 307	
250	120	ENH 120V 250W GX 175		20	38686	2 006	
300	120	ELH 120V	35	10	38476	1 957	
MR-16 Dichroic Reflector							
150	21	EJA	40	20	32882	4 068	
MR-16 Faceted Dichroic Reflector							
25	13.8	FHX	250	20	47914	4 936	
42	10.8	EPT	8000	20	41729	4 428	
50	12	ENL 12V	4000	20	25475	1 619	
90	14.5	EPV 14.5V	500	20	41882	4 548	
90	14.5	EPX	500	20	42614	3 000	
150	120	ESD	12	20	43756	6 100	
150	120	EZK	200	20	15477	5 611	
340	36	ERV 36V	75	20	41874	3 026	
360	82	ENX 82V	75	20	41705	1 792	
410	82	FXL 410W 82V	38	20	21613	2 630	
MR-11 Faceted Dichroic Reflector							
28	13.8	#HIÁNYZIK	500	10	25261		
MR-13 Faceted Dichroic Reflector							
250	82	EXY	200	10	12097	2 418	
225	68	EZF/EZJ	500	10	15832	6 547	
300	82	EXR	35	10	12092	1 847	
300	82	FHS 82V	70	10	47614	2 219	
Discharge Lamps							
Single Ended Hot Restrike							
125	80	CSR125/SE/HR	200	10	48461	37 199	
200	80	CSR200/SE/HR	200	10	48462	26 364	
400	70	CSR400/SE/HR	750	10	21853	34 309	
400	70	CSR400/SE/HR/75	750	10	45238	34 309	
575	95	CSR575/SE/HR	750	10	48463	27 086	
800	95	CSR800/SE/HR/UC-C	750	6	22495	39 610	
1200	100	CSR1200/SE/HR	750	6	48464	36 036	
2500	115	CSR2500/SE/HR	500	6	48465	57 784	
4000	200	CSR4000/SE/HR	500	6	48466	82 388	
6000	123	CSR6000/SE/HR	300	6	48467	309 914	
12000	160	CSR12000/SE/HR	250	4	48468	530 442	
18000	225	CSR18000/SE/HR	250	1	22496	902 880	
Single Ended Cold Start							
150	95		2000	10	22862		
250	90	CSD250/2/SE	2000	10	27817	20 081	
575	95	CSR575/2/T/SE	1000	10	49492	26 102	
575	95	CSR575/2/SE	1000	10	15378	26 635	
700	72	CSR700/2/SE	1000	10	49491	32 165	
1200	100	CSR1200/2/SE	1000	6	49490	36 878	
Double Ended Hot Restrike							
200	80	CSR200/DE	300	10	48450	25 698	
400	49E		750	10	45232		
400	49E	CSR400/S/DE/75	750	10	22478	40 630	
575	95	@CSR575/DE	750	10	48451	23 653	
575	95		750	10	45231		
700	70E/73M	CSR700/S/DE/60	750	10	22493	38 598	
700	70E/73M		750	10	41357		
1200	95E/100M	CSR1200/S/DE/60	750	10	22494	39 456	

1200	95E/100M		750	10	41361	
1200	100	CSR1200/DE	750	10	48453	29 799
2500	115	CSR2500/DE	500	6	48454	69 070
4000	200	CSR4000/DE	500	6	48455	91 633
6000	125	CSR6000/DE	300	10	48456	169 556
12000	160	CSR12000/DE	300	10	48457	261 730
18000	225	CSR18000/DE	300	6	48459	275 821
Short Arc						
700	70	CSR700/SA	750	10	15380	38 528
700	70		750	10	45234	
1200	100	CSR1200/SA	750	6	21849	42 586
1800	100	CSR2000/SA	750	6	21801	86 413
Ceramic Metal Halide (CMH)						
CMH PAR64 – Architainment						
150	95	CMH150/PAR64/830/G 8000		6	16958	19 685
150	95	CMH150/PAR64/830/G 8000		6	16959	19 685
150	95	CMH150/PAR64/830/G 8000		6	16960	19 685
150	100	CMH150/PAR64/842/G 8000		6	16961	19 685
150	100	CMH150/PAR64/842/G 8000		6	16962	19 685
150	100	CMH150/PAR64/842/G 8000		6	16963	19 685
CMH PAR 56 Architainment						
150	95		5000	6	22693	
150	95		5000	6	22694	
150	95		5000	6	22696	
150	100		5000	6	22697	
150	100		5000	6	22700	
150	100		5000	6	22702	
CSR UV Control Lamps						
575		CSR575/SE/HR/UV-C	750	10	40460	27 086
800		CSR800/SE/HR/UC-C	1000	10	22495	39 610
1200			750	6	27764	
2500		CSR2500/SE/HR/UV-C	500	6	40482	57 784
4000		CSR4000/SE/HR/UV-C	500	6	27765	82 388
6000		CSR6000/SE/HR/UV-C	300	6	40492	309 914
CSS						
Base: GY9.5 - Burning position: VBD±90						
140	85	CSS150/CAP/50	1000	10	34813	12 627
CSI/CID Lamps						
(Compact Source Iodide/Compact Iodide Daylight)						
Special bipin base (2 pin 9mm) - Burning position: VBD±90						
400	100	CSI400 99-0201	500	1	30555	40 267
G22 base (medium bipost)						
1000	77	@CSI1000/G22 99-0: 500		1	30558	51 937
G38 base (mogul bipost)						
1000	77	CSI1000/PAR64/G38 3500		1	29333	72 212
1000	77	CSI1000/PAR64/HR/ 3500		1	29336	123 574
G22 base (medium bipost)						
1000	77	CID1000/G22 99-022 500		1	30561	55 777
Cinema Lamps						
Cinema High Lumen Biax™						
55		F55BX/Studiobias32	10000	10	41869	3 237
55		F55BX/STUDIOBIAX	10000	10	41873	3 237
Cinema Plus Biax™						
55		F55BX/CINPLUS/32	40	10	41903	5 549
55		F55BX/CINPLUS/55	40	10	41911	5 549
Cinema Lamps 32 & 55						
T12						
35		F20T12/CINEMA32/HC 7000		24	15775	5 805
35		F20T12/CINEMA55/HC 7000		24	15776	5 805
75		F40T12/CINEMA32/HC 12000		30	15782	5 805
75		F40T12/CINEMA55/HC 12000		30	15783	5 805
Blacklight Blue (produce long wave ultra-violet light)						
T12						
20		F20T12/BLB 6PK	9000	6	34747	2 243

